

CABLINE®-UY PLUG SHELL A

Part No. 3568-0**1

Packing Standard

5	S20286	June 24, 2020	S.Yamaguchi	T.Kurachi	Y.Shimada
4	S20019	Jan. 15, 2020	Y.Fukumoto	T.Yamauchi	Y.Shimada
3	S19654	Oct. 11, 2019	Y.Fukumoto	T.Yamauchi	Y.Shimada
2	S19463	July 31, 2019	Y.Fukumoto	T.Yamauchi	Y.Shimada
Rev.	ECN	Date	Prepared by	Checked by	Approved by

CABLINE-UY PLUG SHELL A Packing Standard

1. 製品名称/Product Name

CABLINE-UY PLUG SHELL A

製品番号/Part Number

3568-0**1

2. 梱包材料/Packing Material

製品番号 Part No.	芯数 Pos.	リール径 (DIAMETER)	リール幅 (REEL WIDTH)	外装カートン (PACKING CATON)
3568-0051	5P	φ380	34.0	406 × 406 × 214
3568-0101	10P			OUTER

3. 梱包数量/Packing Quantity

製品番号 Part No.	芯数 Pos.	入数/リール (QTY. [1 REEL])	リール本数 (REEL QTY.)	入数/外装カートン (QTY. IN PACKING CARTON)
3568-0051	5P	3,000	4	3,000 × 4 = 12,000
3568-0101	10P			

4. 現品票/Label

The label sample is a rectangular form with the following fields and markings:

- P/N**: Part Number field (1)
- QTY**: Quantity field (2)
- LOT**: Lot Number field (3)
- QR Code**: QR Code field (5)
- NAME**: Product Name field (4)
- MADE IN *******: Country of Origin field (7)
- CHECK**: Check Stamp field (6)
- REMARK**: Remark field
- RoHS Compliant**: RoHS compliance mark
- I-PEX**: I-PEX logo
- WPP**: WPP (Waste Prevention Paper) marks for recycling (8)
- HF**: HF logo

Fig.1 Label sample

- ① Part Number
- ② Quantity
- ③ Ten Digits Product Lot Number

Y	Y	D	D	M	M	#	#	#	#
Year		Month		Day		Four Digit Code for I-PEX usage			

- ④ Product Name
- ⑤ QR Code
- ⑥ Check Stamp
- ⑦ Country of Origin
- ⑧ Recycle Mark and Compliance Mark

5. 梱包方法 / Packing Method




Fig.2 Packing Method

[注記／Note]

キャリアのつなぎ箇所 : 1 箇所以下/リール




Fig.3 Connection of carrier

キャリアのつなぎ箇所がある場合は、現品票に"ONE CONNECTION"と表示する。
キャリアのつなぎ箇所の間には、層間紙を 2 周以上巻く。

Connection of carrier: 1 connection MAX. / reel

To write the label "ONE CONNECTION", when we connect the carrier.

There must be at least two turns of coiling paper between the first and the second carrier.